



Formulation sheet

Prime primer

ACTS21411

Phase	Ingredient	INCI name	Supplier	Function	Wt.%
A	Water	Aqua	—	Solvent	31.5%
	Zemea® propanediol	Propanediol	CovationBio PDO	Humectant	15.0%
	TEXTURLUX® Stabil	Hydrolyzed corn starch hydroxyethyl ether	Primient	Polymer	6.0%
B	TEXTURLUX® Hold	Hydroxypropyl starch phosphate	Primient	Polymer	2.0%
	TEXTURLUX® Resist	Maltodextrin	Primient	Film former	1.0%
	Sensiva® PA30	Propanediol (and) phenethyl alcohol (and) undecyl alcohol (and) tocopherol	Schulke	Preservative	1.0%
	Cab-O-Sil® MS	Silica	Cabot	Thickener	0.5%
	C	Zinclear® XP65COCO	Zinc oxide (and) coco-caprylate/caprate (and) polyglyceryl-3 polyricinoleate (and) isoteric acid	Antaria	Sunscreen
Span™ 20		Sorbitan laurate	Croda	Emulsifier	3.0%
Total					100.00%

Formula provided by: ACT Solutions Corp., Newark, Delaware, USA

Procedure

1. Premix B. Then add to A with propeller stirring until uniform (approximately 45 minutes).
2. Premix C. Then add to A/B with fast propeller stirring until uniform.
3. Homogenize briefly until glossy.