



Eye shadow

Phase	Ingredient	Wt. %
A	Deionized water	44.15%
	Keltrol F	0.20%
	Veegum Regular Granules	2.00%
	Disodium EDTA	0.10%
	Triethanolamine 99%	0.50%
	Zemea® propanediol	10.00%
	Lubrajel oil	1.00%
B	Isodecyl neopentanoate	7.35%
	Lipo GMS 450	2.00%
	Behenyl alcohol	0.50%
	Myristyl alcohol	0.50%
	Cetyl alcohol	0.50%
	Stearic acid	1.50%
	Alcolec S	0.15%
	Isostearyl neopentanoate	5.00%
	Tocopheryl acetate	0.05%
C	Allianz™ OPT	1.00%
D	DC 345 Fluid·Cyclomethicone	7.50%
E	Germaben 11-E	1.00%
F	Cosmetic russet C33-5138	0.60%
	Cosmetic yellow C33-1700	0.12%
	Black iron oxide LC989	0.24%
	Sericite PHN	0.24%
G	Timica Sparkle 110P	13.80%
	Total	100.00%

Benefits

- Excellent stability
- Excellent aesthetics
- Good humectancy and moisturization

Procedure

1. Combine phase A ingredients into a uniform phase.
2. Combine phase B ingredients and begin heating to 80°C.
3. Heat phase A to 75-80°C.
4. Slowly add phase B to phase A and mix.
5. Add phase C to the batch with mixing.
6. When the batch is uniform, begin cooling to 55°C.
7. Add phase D and mix.
8. Add phase E and mix until uniform.
9. Grind phase F and add phase G to phase F.
10. Cool the main batch to 25°C; add phases F and G and mix.